



# Over 40 Years of Innovation, Quality, and Commitment to Excellence

2022 marks our 43rd year in business. It was 1979 when we first began turning our hobby into a business, welding trailers together for profit. Looking back over the years that followed, it is hard for us to believe how far we have come.



As young men all three Scelzi brothers had a passion for cars and trucks. Mike, Jim, and Gary each spent time in related industries, but in the end they joined forces at Scelzi Enterprises to design and manufacture the best work truck bodies in the USA. Jim retired from the business in 2018.

Today the Scelzi Legacy continues, and our commitment to Quality is stronger than ever. As we fondly look back over the past 40+ years, we are extremely grateful to the employees and key partners who helped us reach this moment.

Don't Settle For Less Than A Scelzi!

Our facilities make Scelzi Enterprises the largest manufacturer of truck bodies in the Western USA. Covering 25 acres in Southwest Fresno alone and including 450,000 square feet of office and manufacturing space, we employ more than 450 employees of various skills and talents to contribute to the Quality of our Trucks Bodies and our organization.

FRESNO, CA




It all started in a garage in Fresno, and then spread to a small building on Thesta Avenue. Today Scelzi Enterprises has California facilities in Fresno, Riverside, and Shafter, along with LaSalle (CO) and our newest facility in Tacoma, Washington!





Wherever we are and whoever we select to join our team, we make sure the Scelzi Commitment to Quality is embedded deep into every product we manufacture, and in every person we employ.







## THE SCELZI ENTERPRISES MISSION STATEMENT

We utilize innovative truck body designs and an uncompromising Commitment to Quality to exceed our customer's expectations — providing value to our owners, our business partners, our team members, and our end users.



## Scelzi Truck Body Nomenclature




SB - 98 - 79 - 49 - 38 - VO


|        | BODY TYPE               | OVERALL<br>BODY<br>LENGTH | OVERALL<br>BODY<br>WIDTH | FLOOR<br>WIDTH                | COMPARTMENT<br>HEIGHT | COMPARTMENT<br>CONFIGURATION                |
|--------|-------------------------|---------------------------|--------------------------|-------------------------------|-----------------------|---------------------------------------------|
|        |                         | $\Box$                    |                          |                               |                       |                                             |
| WT     | Water Truck Body        | 80"                       | 79"                      | 49"                           | 33"                   | <b>H</b> - Horizontal<br>Compartments with  |
| WCB    | Western Crane Body      |                           |                          |                               |                       | Close Tops                                  |
| CTFB   | Contractor Body         | 98"                       | 94"                      | 54"                           | 38"                   | <b>V</b> - Vertical<br>Compartments with    |
| SCTFB  | Super Contractor Body   |                           |                          |                               |                       | Close Tops                                  |
| SB     | Service Body SRW        | 108"                      | 96"                      | 56"                           | 43"                   | <b>HO</b> - Horizontal<br>Compartments with |
| SBD    | Service Body DRW        | 7                         |                          |                               |                       | Open Tops                                   |
| SEC    | Combo Body              | 132"                      | SC                       |                               | 60"                   | VO - Vertical                               |
| SFB    | Scelzi Flat Bed         |                           |                          | RPRISES                       |                       | Compartments with<br>Open Tops              |
| WFB    | Western Flat Bed        | 156"                      | FRESNO, CA • RIVERS      | SIDE, CA·LA SALLI<br>858-2883 | E, <b>CO</b>          | /                                           |
| FBC    | Flatbed - Custom        |                           | MOD NO                   | SB-98-79<br>19-43-V0          |                       |                                             |
| FRFB   | Front Range Flatbed     |                           |                          | 22166593                      |                       | /                                           |
| SBCR   | Crown Service Body, SRW | ,                         | <b>a</b>                 |                               |                       |                                             |
| SBDCR  | Crown Service Body, DRW | /                         |                          |                               |                       |                                             |
| SBDCRH | Crown RV Hauler Body    |                           |                          |                               |                       |                                             |

#### **Compartment Configuration**


**H** - Horizontal Compartments with Close Tops




V - Vertical Compartments with Close Tops



**HO** - Horizontal Compartments with Open Tops



**VO** - Vertical Compartments with Open Tops





# The World's Best Truck Bodies


|                                           | Flatbed/Platform                                    | WESTERN Flatbed<br>SCELZI Flatbed                                   | Page 7  |
|-------------------------------------------|-----------------------------------------------------|---------------------------------------------------------------------|---------|
| 7                                         | Landscaper/Gardener                                 | 8 x 10, 8 x 12, and 8 x 14 feet long                                | Page 11 |
|                                           | Cowboy                                              | 7 x 8, 8 x 8, and 8 x 9 feet long                                   | Page 12 |
|                                           | Front Range Flatbed                                 |                                                                     | Page 13 |
|                                           | RV Hauler                                           |                                                                     | Page 14 |
|                                           | Contractor                                          | 7 x 9, 8 x 10, 8 x 12 and<br>8 x 14 feet long                       | Page 15 |
|                                           | Super Contractor                                    | 8 x 12/14 foot Contractor Body with extra storage capacity          | Page 16 |
|                                           | Combo                                               | 9, 10, 12, and 14 feet long                                         | Page 17 |
|                                           | Service                                             | SIGNATURE Service Body<br>CROWN Service Body<br>Service Body Insert | Page 22 |
|                                           | Super Structure                                     | For 8600 GVW and higher                                             | Page 34 |
| 6                                         | Crane                                               | Western Crane Body 11 feet long                                     | Page 35 |
|                                           | Welder                                              |                                                                     | Page 36 |
|                                           | Dump                                                |                                                                     | Page 37 |
|                                           | Chipper                                             | 12, 14, and 16 feet long                                            | Page 42 |
|                                           | Water Truck                                         | 2000, 2500, and 4000 Gallon Tanks                                   | Page 44 |
|                                           |                                                     |                                                                     |         |
| Parts and Accessories                     | Parts and Accessories                               |                                                                     | Page 48 |
| SCELZI CLASSICS:<br>Special Order Designs | • A-Frames • Crane Bo<br>• Contour Body • Cruiser B | dy - Non Western<br>ody                                             | Page 57 |
| CUSTOM DESIGNS                            |                                                     |                                                                     | Page 59 |

#### Why Do Scelzi Truck Bodies Last Longer Than Other Bodies?



## More Robust Design









## **FLATBED** Bodies



Scelzi Flatbed bodies are available in several different styles:

- 1. Scelzi Flatbed with an "angled" tail plate and California Dock Bumper in back.
- 2. Western Flatbed with a "squared" ICC Dock Bumper in
- Flatbed Dump with hoist
- 4. Custom Flatbed



Western Flatbed

Flatbed Dump



Custom Flatbed (pg 55)

#### **Common Features and Options**

#### Available for Scelzi and Western Flatbeds

- Underbody Tool Box See table below for options
- Top Mounted Tool Box Closed Top Available in 72", 96" and 108" long 18" high - 18" deep
- Top Mounted Tool Box Open Top Available in 48", 72", 96" and 108" long 18" high - 18" deep

#### **Side Racks**

• A.J. Baer style tapered polished stainless steel stakes with slats.

Available in 12", 15", 18", 24", 36", 42", 48" heights.

• Other combinations of painted steel stakes or hardwood, steel or aluminum siding can be ordered.









#### **Scelzi Flatbed Underbody Tool Boxes**

| LONG  | HIGH | DEEP |
|-------|------|------|
| 24"   | 18"  | 18"  |
| 30"   | 18"  | 18"  |
| 36"   | 18"  | 18"  |
| 40" * | 18"  | 18"  |
| 48"   | 18"  | 18"  |
| 60"   | 18"  | 18"  |

<sup>\*</sup> This is a special order item

#### Scelzi FLATBED



Scelzi style flatbed - with an "angled" tail plate with California Dock Dumper in back.



Scelzi Flatbed





Photos may contain optional equipment - verify your specifications when you order.

**Flooring Choices:** Standard flooring options are hardwood, aluminum, or steel (smooth or diamond plate).

Stake Options: Painted steel, stainless steel, or none Hardwood, aluminum, or steel

#### Standard Body Lengths and Specifications

| BODY TYPE  | BED SIZE | TRUCK CA" | REAR WHEEL |
|------------|----------|-----------|------------|
| SFB-7/8'6" | 7x8'6"   | 56"       | Single     |
| SFB-7/9    | 7x9      | 60"       | Single     |
| SFB-8/8    | 8x8      | 56"       | Dual       |
| SFB-8/9    | 8x9      | 60"       | Dual       |
| SFB-8/10   | 8x10     | 60"       | Dual       |
| SFB-8/12   | 8x12     | 84"       | Dual       |
| SFB-8/14   | 8x14     | 102"-108" | Dual       |
| SFB-8/16   | 8x16     | 120"      | Dual       |
| SFB-8/18   | 8x18     | 144"      | Dual       |
| SFB-8/20   | 8x20     | 156"      | Dual       |
| SFB-8/22   | 8x22     | 168"      | Dual       |
| SFB-8/24   | 8x24     | 186"      | Dual       |

#### **Standard Features**

- Choice of 50-50 Headboard
- 1/2" Rope Hooks on each Cross Member
- Tail Plate with California Dock Bumper
- OEM Taillights, Seal Beam Clearance Light
- Stainless Steel Gas Bezel
- Tapered A.J. Baer Style Stake Pockets
- Choice of color Black or White Contact Scelzi for additional colors
- LED Clearance Lights Flush Mounted

#### **Optional Features**

- Can be manufactured with any of the following:
  - 1-1/8" Hardwood or 7/8" Aluminum Floors 16" Crossmember
  - 12 Gauge Diamond Plate
  - 3/16" Solid Diamond Plate Bed
  - 3/16" Smooth Steel Available

NOTE: No warranties offered on wood products

## Western FLATBED







Photos may contain optional equipment - verify your specifications when you order.

Flooring Choices: Standard flooring options are hardwood or

aluminum

Stake Options:Painted steel, stainless steel, or noneSide Rack Options:Hardwood, aluminum, or steel

#### Standard Body Lengths and Specifications

| BODY TYPE | BED SIZE | TRUCK CA" | REAR WHEEL |
|-----------|----------|-----------|------------|
| W-7/8'6"  | 7x8'6"   | 56"       | Single     |
| W-7/9     | 7x9      | 60"       | Single     |
| W-8/8     | 8x8      | 56"       | Dual       |
| W-8/9     | 8x9      | 60"       | Dual       |
| W-8/10    | 8x10     | 60"       | Dual       |
| W-8/12    | 8x12     | 84"       | Dual       |
| W-8/14    | 8x14     | 102"-108" | Dual       |
| W-8/16    | 8x16     | 120"      | Dual       |
| W-8/18    | 8x18     | 144"      | Dual       |
| W-8/20    | 8x20     | 156"      | Dual       |
| W-8/22    | 8x22     | 168"      | Dual       |
| W-8/24    | 8x24     | 186"      | Dual       |

#### **Optional Headboards**

- STA 2 Contractor Style
- Custom H/B, Contact Sales

#### Standard Features

- 50/50 Headboard with 3" Channel Radius Corners Perforated Top Smooth Steel Bottom
- 7/8" Aluminum Floors are Optional
- 1/2" Rope Hooks on Each Crossmember
- Crossmember on 16" Centers
- ICC Dock Bumper
- OEM Taillights
- LED Seal Beam Clearance Lights Flush Mounted
- Painted White or Black Contact Scelzi for additional colors
- 10 Gauge 6" Formed Rub Rails Front, Side & Rear
- 10 Gauge 4" formed Crossbars
- LED Clearance Lights Flush Mounted

#### Headboards

- 3" One Piece Contour Channel with 3" uprights and 10 gauge one piece perforated, smooth steel
- The 50-50 or the One-Window are standard. The Two-Window and the "A" Style are two of the many designs that can be ordered

## **FLATBED** Dumps





Available 10', 12', 14' and 16' Long

#### CHOICE OF DECKING MATERIAL:

- 7/8" Aluminum Decking
- 7/8" or 1-1/8" Wood Decking
- 3/16" Smooth Steel
- 3/16" Diamond Plate
- Cross Member on 12" Centers
- Rope hooks on Each Cross Member
- Head Board 10 Gauge 12" x 24" Window
- ICC Bumper

#### **HOIST:**

Scelzi Electronic and PTO Hoists Available

#### **SIDE RACKS:**

- A.J. Baer Stainless Stakes with 3/4" Wood Material
- Solid or with a Gap
- 12", 15", 18", 24", 36", 42" or 48" Tall
- 1/2" Plywood Side Racks with Capping, Painted White or Black, 12", 15", 18", 24", 36", 42" or 48" Tall
- Removable Steel A.J. Baer Stakes with 18 Gauge Steel Slats Corrugated Painted White or Black
- 12", 15", 18", 24", 36", 42" or 48" Tall
- Non Removable Steel Side Racks 12" or 24" Tall, 10 or 14 Gauge

#### **BARN DOORS:**

- Door Gates with Western Gate Latches for 12" or 24" Tall Doors
- Door Gates with or without Optional Cross Bars 8" Above Door.
- 36", 48" or 60" Tall Doors

#### **BINDER:**

- Combo binder
- Recessed Combo Binder
- Sliding binder
- 3/4 Rope Hooks

#### **DUMP BED RECEIVER HITCHES:**

- 1,000# Tongue Weight -10,000 Pull Weight - Class 4
- 1,800# Tongue Weight -18,000 Pull Weight - Class 5

#### HITCHES FOR HEAVIER DUTY TOWING

- Recommended for 550 or Lower: PH 15 Pintle hitch with 1/2"
   Buck Plate or A-Frame
- Recommended for 650 and Above: 580J Premier H.D. Pintle 3/4" with Buck Plate



## **LANDSCAPER/GARDENER** Flatbed Dump Bodies





#### Standard Body Lengths and Specifications


| Series | Bed Size     | Side Rack Package Options                                                                                               |
|--------|--------------|-------------------------------------------------------------------------------------------------------------------------|
| 14.4   | 8 ft x 10 ft | Package A: 42" Solid steel with a HINGED horizontal door 69" wide, OR                                                   |
| 11.2   | 8 ft x 12 ft | Package B: 42" Solid steel with a front vertical door 46" wide, OR Package C: 42" Solid steel with dual fold down doors |
| 9.2    | 8 ft x 14 ft | Special Order: 1/2" Removeable plywood racks with steel stakes, western gate latches                                    |

#### **Standard Features**


- 10 Gauge Smooth Steel Floor
- Cross Member on 16" Centers with Rope hooks on Each Cross Member
- Rear Barn Doors and Optional Side Barn Doors
- 42" Solid Steel side racks hinged to fold out at 21"
- Racks in approximately 5 ft sections One in front, one on driver side, and one curbside (passenger side)
- Class V Receiver hitch and 7/4 RV plug
- Cargo area covered with Polyurea for added Rust/ Corrosion protection
- **HOIST:** Double Acting Scelzi Hoist. See page 37 for more hoist information




# Package A



Package B





## **COWBOY BED** Bodies








Photos may contain optional equipment - verify your specifications when you order. Body Sizes:

**Flooring Choices:** 

 Standard flooring options are hardwood or diamond plate steel

- 7 ft x 8 ft
- 8 ft x 8 ft, as shown in photos with steel flooring and 6" fold down side racks
- 8 ft x 9 ft body is also available

#### **Standard Specifications**



## **FRONT RANGE FLATBED** Bodies







Integrated gooseneck hitch with 2-5/16" ball plus side flip lid.


Photos may contain optional equipment verify your specifications when you order.

#### **Standard Body Lengths and Specifications**

| Bed SIZE       | Cab to Axle (CA) | Rear Wheel | Hitch                                  | Tool Boxes                                                                |
|----------------|------------------|------------|----------------------------------------|---------------------------------------------------------------------------|
| 7 ft x 8.5 ft  | 56"              | Single     | Factory hitch and 7 way RV plug        | 30" Long x 18" High x 12" Deep tool box installed in front of rear wheels |
| 8 ft x 8.5 ft  | 56"              | Dual       | Factory hitch and 7 way RV plug        | 30" Long x 18" High x 18" Deep tool box installed in front of rear wheels |
| 8 ft x 9.5 ft  | 60"              | Dual       | Scelzi Class 5 hitch and 7 way RV plug | 36" Long x 18" High x 18" Deep tool box installed in front of rear wheels |
| 8 ft x 11.5 ft | 84"              | Dual       | Scelzi Class 5 hitch and 7 way RV plug | 48" Long x 18" High x 18" Deep tool box installed in front of rear wheels |

#### **Standard Equipment For All Sizes**

- 1/8" Diamond Plate Cargo Floor & Sides
- Rear and Front 1/8" smooth steel tail plate w/6" tapered corners
   @ rear
- Front smooth steel 6" rail
- 4" x1/8" formed cross-members 6" integrated thick
- Longsills AJ Baer tapered stake pockets sides & rear
- Bolt-on tapered head board with LED seal
- Beam lights built into top corners of headboard stop, turn, tail and back-up
- Rear tail apron with custom ICC Dock
- Bumper LED lights stop, turn, tail and back-up
- Camera installation
- All LED marker lights
- Integrated goose neck hitch with 2 5/16 ball recessed in floor with slide flip lid with 7 way RV plug #12707
- 1/2" Rope hook installed
- Black powder coated



## **RV CROWN HAULER** Bodies





#### **Standard Body Lengths and Specifications**

#### **Body Length:**


• 108 inches


#### **Options**

• Hitch can be B&W turn over ball 1500R.


#### **Available Models:**

- VO Vertical Compartments with open tops.
- V Vertical Compartments with close tops.









| Model                      | Hitch Type Configuration          | Dimensions |      |
|----------------------------|-----------------------------------|------------|------|
|                            |                                   |            | В    |
| Α                          | Recessed Gooseneck, shown above   | 33         | 24.2 |
| В                          | B B&W Turn Over Ball 1500R        |            | 24.2 |
| С                          | C Recessed Gooseneck, shown above |            | 29.3 |
| D B&W Turn Over Ball 1500R |                                   | 38         | 29.3 |

## **CONTRACTOR FLATBED** Bodies





(84 CA) Standard Specifications **CTFB-8/12** 

Other Widths/Lengths Available: 7/9 • 8/10 • 8/14

**Body Dimensions:** • 8 ft Wide x 12 ft Long (144 inches)

• Other Bodies Available:

7 ft Wide X 8.5 ft Long (108 inches) - 56 CA 8 ft Wide X 10 ft Long (120 inches) - 60 CA 8 ft Wide X 14 ft Long (168 inches) - 108 CA

**Color:** • White

Flooring/Rack Choices: • Wood floor and fold down side racks

• OPTIONAL: Aluminum floor and fold down side racks

• 96" x 18" x 18" top mount, open top (2 boxes) **Tool Boxes:** 

• 60" x 18" x 18" underbody (2 boxes)

Top Rack: • Removeable 3" x 2" x 120" wall with 2" legs and

• 3" x 2" removeable crossbars


Powder coated

• OPTIONAL: Standard or fork lift accessible

material rack

• NOTE: No warranties offered on


wood products



This photo

shows CTFB-8/10

15" FOLD DOWN SIDE RACKS STAINLESS STEEL STAKES



2x3 FORK ACC RACK 146"

All drawings reflect dimensions for the most popular applications

## **SUPER CONTRACTOR FLATBED** Bodies





**SCTFB-8/12** 

(84 CA)

**Standard Specifications** 

**Body Dimensions:** • 8 ft Wide x 12 ft Long (144 inches) 8 ft Wide x 14 ft Long also available

Color: • White

Flooring/Rack Choices: • Wood floor and fold down side racks

• OPTIONAL: Aluminum floor and fold down side

racks

**Tool Boxes:** • 96" x 30" x 20" top mount, closed top (2 boxes)

 $\bullet$  96" x 13" x 20" Shovel box - full length opening

• 60" x 18" x 18" underbody (2 boxes)

**Compartments:** • Bottom compartments with 1 roller drawer and

1 adjustable shelf on each side

Top Rack:



• Removeable 3" x 2" x 120" wall with 2" legs and 3" x 2" removeable crossbars

Powder coated

 OPTIONAL: Standard or fork lift accessible material rack


 NOTE: No warranties offered on wood products




Standard Item In Boxes For This Model Only



15" Fold Down Side Racks With Aluminum Slats and Stainless Steel Stakes





#### **COMBO** Service Bodies





SEC-144 12 ft (84 CA) Standard Specifications

Other Widths/Lengths Available: 9 ft • 10 ft • 14ft

**Body Dimensions:** • 144 inches Long (12 ft) x 94 or 96 inches Wide

• Other Bodies Available:

SEC-110 9 ft Long - 56-60 CA SEC-120 10 ft Long - 60 CA SEC-168 14 ft Long - 108 CA

Rear Wheel: • Dual

Color: • White

Side Racks: • Steel floor with wood fold down side racks


• OPTIONAL: Aluminum fold down side racks

Storage Compartments: • Aluminum diamond plate on top

• Height: 38 inches high


**Top Rack:** • Powder coated ladder rack

































SEC-144-94-54-33-VD Closed Top










































#### Standard Features On All Scelzi Signature Truck Bodies





Tail hinges on 5/8" stainless steel Allen Head Shoulder Bolt Bushing.

Seal-beam type tail, with 5/8" Bronze clearance and back-up lights.

All bodies equipped with a six-inch step bumper. Powder coated grey.

Shelves - 16 gauge galvanized with return

flange curl. Shelf brackets

are 12 gauge galvanized


Superior underbody construction using thicker gauge steel and more cross-members than other truck body builders

Three point latching system on all compartment Shelves are Heavy duty lock-in-place

All vertical compartments have 2 adjustable shelves, horizontal compartments have 1 adjustable shelf

All shelves are adjustable on 2" centers

Stainless steel gas bezel and wheel well tubing and tailgate bracket.



#### Additional Signature Body Features:

- Six-point mounting on 8 and 9 foot bodies. Eight point mounting on 11 and 13 foot bodies.
- All beds are caulked with Ultra Neoprene sealers, and the underside of the bed and wheel wells are undersealed before the bed is installed
- Multiple coats of primer and urethane paint are added for longest durability

Three-year bulkhead to bumper warranty

Chrome Scelzi T-Bar handle latches with polished rivet-free stainless steel pockets and Galvanneal steel locking rods




All compartment doors equipped with barrel locks

## **Common Options on Signature Service Bodies**





#### **Work Decks**
























### **Bumpers**



Other bumper style options available, but not shown

## **SIGNATURE SERVICE** Bodies





#### SINGLE REAR WHEEL

#### **Standard Specifications**

**Body Dimensions Available:** 

SB-80 SB-98 80 Inches Long x 79 Inches Wide 40 CA 98 Inches Long x 79 Inches Wide 56 CA

SB-108

108 Inches Long x 79 Inches Wide 60 CA

Compartment Height: 38 inches high is standard

Options: 33 and 43 inch high compartments are available as a special order.

Rear Wheel: Single

Color: White

**Storage Compartments:** Aluminum diamond plate on top

See page 31 for tool box configuration options

**Optional Top Rack:** Powder coated over the cab contour material rack


| Style | Orientation | Tops   |
|-------|-------------|--------|
| VO    | Vertical    | Open   |
| НО    | Horizontal  | Open   |
| V     | Vertical    | Closed |
| Н     | Horizontal  | Closed |




## **SIGNATURE SERVICE** Bodies




SB-80 Most Common Dimensions (SB-80-79-49-38-VO)



SB-98 Most Common Dimensions (SB-98-79-49-38-VO)



SB-108 Most Common Dimensions (SB-108-79-49-38-VO)



## **SIGNATURE SERVICE** Bodies - **DUAL**





#### **DUAL REAR WHEEL**

#### **Standard Specifications**

**Body Dimensions Available:** 98 Inches Long x 96 Inches Wide **SBD-98** 

SBD-108 108 Inches Long x 94 Inches Wide 60 CA

56 CA

SBD-132 **SBD-156**  132 Inches Long x 94 Inches Wide 84 CA

156 Inches Long x 94 Inches Wide 108 CA

**Compartment Height:** 

38 inches high is standard

Options: 33 and 43 inch high compartments are available as a special order.

**Rear Wheel:** 

Dual

**Color:** 

White

**Storage Compartments:** 


Aluminum diamond plate on top

See page 31 for tool box configuration options

**Optional Top Rack:** Powder coated over the cab contour material rack

| Style         | Orientation | Tops   |
|---------------|-------------|--------|
| VO            | Vertical    | Open   |
| HO Horizontal |             | Open   |
| V             | Vertical    | Closed |
| Н             | Horizontal  | Closed |


#### **SBD-98 Most Common Dimensions** (SBD-98-96-51-38-VO)




## **SIGNATURE SERVICE** Bodies - **DUAL**




SBD-108 Most Common Dimensions (SBD-108-94-49-38-VO)



SBD-132 Most Common Dimensions (SBD-132-94-49-38-VO)



SBD-156 Most Common Dimensions (SBD-156-94-49-38-VO)



## **CROWN SERIES SERVICE** Bodies





SINGLE REAR WHEEL

**Standard Specifications** 

**Body Dimensions Available:** 

SBCR-98 SBCR-108 98 Inches Long x 79 Inches Wide 56 CA

108 Inches Long x 79 Inches Wide 60 CA

Compartment Height: 38 inches high only

Rear Wheel: Single

Color: White


Storage Compartments: Aluminum diamond plate on top (additional charge)


**Optional Top Rack:** Powder coated over the cab contour material rack

| Style | Orientation   | Tops   |
|-------|---------------|--------|
| VO    | Vertical      | Open   |
| НО    | HO Horizontal |        |
| V     | Vertical      | Closed |
| Н     | Horizontal    | Closed |

#### SBCR-98 (SBCR-98-79-49-38-VO)

#### SBCR-108 (SBCR-108-79-49-38-VO)





## **CROWN SERIES SERVICE** Bodies - **DUAL**





#### **DUAL REAR WHEEL**

#### **Standard Specifications**

**Body Dimensions Available:** 

108 Inches Long x 94 Inches Wide 60 CA SBDCR-108

SBDCR-132 132 Inches Long x 94 Inches Wide 80 CA

**Compartment Height:** 38 inches high only

**Rear Wheel:** Dual

White Color:


Storage Compartments: Aluminum diamond plate on top (optional)


**Optional Top Rack:** Powder coated over the cab contour material rack

| Style | Orientation | Tops   |
|-------|-------------|--------|
| VO    | Vertical    | Open   |
| НО    | Horizontal  | Open   |
| V     | Vertical    | Closed |
| Н     | Horizontal  | Closed |

#### (SBDCR-108-94-49-38-VO) SBDCR-108

#### SBDCR-132 (SBDCR-132-94-49-38-VO)





## **SIGNATURE SERVICE** Body Insert





2 Cubic Yard Capacity Service Body Custom Dump Insert

**Body Dimensions:** SB-98-79-49-38 Length = 99.5 inches 56 CA SB-108-79-49-38 Length=109.5 inches 60 CA

• 44" Wide Inside x 21" Sides x 22" Tail Gate x 21" Bulkhead

• 12 Ga. Steel Throughout

• 21" Bulkhead

• 22" Double Acting Tailgate with formed brace

• 3 Flange Top Rail

• Beveled Floor Corners at sides

• 4" channel crossmembers

• 5" Long Sills

• Pinned Tailgate Locks

Color: · White is standard

Construction:

**Hoist:** 


• Scelzi CS412T-11 electronic over hydraulic single acting hoist 4.1 ton capacity

• Full steel sub-frame integrated into service


body understructure

• Double acting, Power Up/Down


• LED Body Raised Warning Light








Dimensions for SB-98-79-49-38-VO 2 CUBIC YARD DUMP INSERT



#### **Crane and Signature Service Body Configuration Options**




Dimensions shown represent 38" tall body with  $22-\frac{1}{2}$ " wide compartments. Optional 20" wide compartments available.



#### **Crane and Signature Service Body Configuration Options**




Dimensions shown represent 38" tall body with 22-1/2" wide compartments. Optional 20" wide compartments available.



#### **Crane and Signature Service Body Configuration Options**



Dimensions shown represent 43" tall body with 22-1/2" wide compartments. Optional 20" wide compartments available.



## **SUPER STRUCTURES**





Super Structures for 8600 GVW\* and Higher **Standard Specifications** 

GVW \* is Gross Vehicle Weight Rating, also known as Gross Vehicle Mass (GVM). This is the maximum operating weight of a vehicle chassis as specified by the manufacturer.

**Body Dimensions:** 

- Lengths available in 98, 108, 132 and 156 inches only. Can be ordered with tapered sides.
- Scelzi 6" recessed rear bumper and standard service body compartment options (see pages 31-33) Compartment height options are shown below.

**Window Options:** 


- 1 front window 12" high X 28" wide.
- Windows in rear doors 18" X 12" wide

Color:

White or black

| Body<br>Height                                                 | SUPER STRUCTURE HEIGHT |           |           |
|----------------------------------------------------------------|------------------------|-----------|-----------|
|                                                                | 24 inches              | 36 inches | 48 inches |
| 33"                                                            | 42-3/16"               | 54-3/16"  | 66-3/16"  |
| 38"                                                            | 47-3/16"               | 59-3/16"  | 71-3/16"  |
| 43"                                                            | 52-3/16"               | 64-3/16"  | 76-3/16"  |
| Dimensions are measured from the floor to the inside structure |                        |           |           |





## **CRANE BODY** - Western





Western Crane Body packages are available

Tops

Orientation

Style

**Body Dimensions:** • 132 inches Long x 96 inches wide, with capacity for 5,000-8000

lb crane.

Color: • White

**Storage Compartments:** • Compartment height is 43"

VO\* Vertical Open


V Vertical Closed

\* Only available on non-grape side


\* Only available on non-crane side


- Options: 60" Tall Oxy-Acetylene Front Compartment (shown in photos above)
  - 24" or 34" Compartment 60" High with 3 Standard Adjustable Shelves
  - 18" to 24" Rear Work Deck Set up for Outriggers with or without Access Doors
  - Rear Work Deck with Through Compartment
  - "Top 5" Only"
  - Work Deck with "V" Groove
  - V-Notch Bumper











#### **WELDER BODY**





**Body Dimensions:** 


• 108 inches Long x 94 inches wide. Compartment height is 33 inches. • Custom Order Only: 132 inch Long body, as shown in photo above.

**Rear Wheel:** Dual


White Color:

Storage Compartments: • Tapered Front Compartments and Smooth Steel Floor with a 5" Drop

- Oxygen Bottle Holders in Transverse Compartment Driverside
- Acetylene Bottle Holders in Upright Position in Front
- Compartment Driverside
- Hose Holder in Front Compartment Driverside
- Oxygen and Acetylene Hose Reel with Louver in Lower Bottom of Front Compartment - Driverside
- Adjustable Shelves in Front Compartment Curbside
- Horizontal Compartment with Dividers
- Rear Work Deck with Access Doors and "V" Groove
- Perforated Rear Step Bumper
- Class 5 Receiver Hitch Without Insert
- Trailer Plug 7/4 Way OEM Socket



Dimensions shown are for SBD-108-94-49-33-V



00 · 🔻 00

108"

All drawings reflect dimensions for the most popular applications.






The Scelzi line of durable, single stage scissor hoists:

- Range in capacity from 11.2 to 22.5 ton
- Fit bodies from 8 to 20 feet long
- Black powder-coated in a durable, rust-resistant finish
- In-Cab Dash-mounted LED "Hoist Up" Safety Light
- Internally/externally accessed Push Button Hoist Up-Down Controller
- Dual, Manual-control Hoist Secure Locking Arms
- Power Take Off (PTO) for most models
- Scelzi CS515T and CS615T-11 are electric/hydraulic

Dash-mounted LED
"Body Up" Safety Light
and Push Button Hoist
Up-Down Controller





Dual manual-control Hoist Secure Locking Arms





Capacity: • Recommended: 14,000 - 19,000 GVW Approx. 2,250 lbs.

• Recommended: 550, 5500 or lower

**Body Dimensions:** • Traditional rectangular body with cross-members

• 11'6" Long x 86" Wide Inside x 13" Sides x 20" Tail Gate x 32" Bulkhead

• DBS 11-6 Dump body with fold down sides

• 10 Gauge High-Tensile Throughout

• 3" Cross Bars on 15" Centers x 5" Channel Longs

• 1/4 Size Cab Shield

• Deluxe LED Light Package with Oval Stop and Turn Lights

• Mud flaps and brackets

• Semi automatic pull tarp, black mesh

**Color:** • Black or white, Contact Sales for Custom Color

**Hoist:** • Scelzi CS615T-11 (Class 40)

• 11.2 ton capacity with 12" overhang, full steel sub-frame

• Power up and power down with LED raised up warning light

• LED body raised warning light, inside cab control

• See pg 33 for more hoist information

**Options:** • 6" x 3/16" spreader apron


• Center ditch gate, sliding type


• 3/16" floor in lieu of 10 gauge

LED lighting

• Non-fold down sides







NOTE: 13" DIMENSION IS FROM FLOOR TO TOP OF SIDE RAIL





**Capacity:** • Recommended: 26,000 -33,000 GVW Approx 3,400 lbs.

**Body Dimensions:** • Traditional rectangular body with cross-members

• 10' Long x 86" Wide Inside x 24" Sides x 32" Tail Gate x 36-40" Bulkhead

• 10 Gauge High-Tensile Steel Sides and Ends

• 3/16" High-Tensile Steel Floor with Beveled Side Corners

• Sloped Running Boards

• 6" Channel Longs x 3" Channel Cross Bars on 15" Centers

• Double Acting Tail Gate (Manual Trip Lever), 6-Panel

• 1/4 Cab Shield, Full Depth Rear Corner Post

• 4-Flange Boxed Top Rail, Double

• Wall Sides with Center Corrugation, Spreader Apron

• Deluxe LED Light Package with Oval Stop and Turn Lights in Rear Corner Post,

• Recessed Side Clearance Lights, and Set of Mud Flaps

Color: • Black or White

**Hoist:** 

Scelzi 820DA with sub-frame (Class 60)

• 22.5 ton capacity with 12" overhang

• Power up and power down with LED raised up warning light

• LED body raised warning light, inside cab control

• See pg 37 for more hoist information

**Options:** • Ditch Gate in Tailgate

• Semi automatic pull tarp, black mesh

• 3/16" High-Tensile Tailgate


• Air Operated Tailgate Locks


• Air Shift PTO or Hot Shift PTO - for Allison Transmission

• 580 Premier Pintle Hitch or Plug

• Pull Trap, and Toolbox











Capacity: • Recommended: 33,000 GVW

**Body Dimensions:** • Traditional rectangular body with cross-members

• 10 GA. High-Tensile Steel Throughout

• 3" Channel Crossbars on 15" Centers

• Headboard with Corrugations 10" Higher Than Sides

• Manual Tailgate Lever or Air Cylinder Set-Up (Air Cylinder not Included)

• 5", 6", or 7" Longsills • Tailgate 6" Higher Than Sides

• Beveled Floor Corners

• Full Depth Rear Corner Posts

• Two-Panel Tailgate

• Boxed Top Rails and Horizontal Side Braces

Color: • Black or White

• Scelzi C63120T **Hoist:** 

• 22.5 ton capacity with 12" overhang

• Power up and power down with LED raised up warning light

• See pg 33 for hoist details

• Air Tailgate Control **Options:** 

Air Dump Control

• 3/16" Spreader Apron

• Ditch Gates

• Oval Stop and Turn Lights

• Front Corner Post

Nested Crossbars

• Double Wall Sides with Center Horizontal Brace Length of Body

Concave sides

• Hoist Stabilizer


• Guards in End Post for Turn Signal Lights

• Hydraulic Wet Line for Pop Trailer

• Electrically Activated PTO for Manual Transmission

• Air Pintle Hitch

• Semi automatic pull tarp, black mesh (as shown at right)



180







• Varies from 6-18 cubic yards in lengths from 10 to 19 feet long

**Body Dimensions:** • Semi-elliptical curved body design

 $\bullet$  4 x 4 x 1/4 Tubing Top Rail Diamond Up Inside Vertical Stiffner

• 10 Gauge High-Tensile Fenders Starting Approx. 30" from Front

• Fenders are Full Boxes Closed Bottom Side, 100% Welded

• All Heavy Duty Hardware Top & Bottom on Tailgate

• 3 Panel Tailgate or 6 Panel Tailgate

Air Operated Lower Tailgate Locks

• 1/4 Size Cab Shield or Wing Type

• 8" x 3/16" Spreader Apron

• Deluxe Light Kit Oval Stop & Turn

**Color:** • Black or White

Capacity:

**Hoist:** • Model varies by capacity

• Power up and power down

LED raised up warning light

Options: • Air Lift Tailgate Cyl. Inside Rear Post (No Door)

• Doors on Rear Corner Post for Air Cyl Access

• Ditch Gate Center

• Trap (Manual or Electric)

• Air Hitch 370 Premier and Electric Plug


• 2 – 22.5 x 8.25 Alcor Uni-Mt F/R Polished 10 Hole Wheels

• 2 - 255/70 R22.5 Sumitomo S+727 16 Ply Tires

Reverse Mounting Model for Clearance on Tanks ECT

**Custom Dump Bodies:** • Other Custom Dump Bodies Available as a Special Order

- Please Contact Us





# **CHIPPER BODIES**







14 Foot Chipper and Hoist

120 CA

15.2 Ton Hoist



# **CHIPPER BODIES**





Optional lighting and toolbox configurations are available





#### **Chipper and Hoist**

#### **Standard Specifications**

**Body Dimensions Available:** 

12 ft. Long x 88 Inches Wide 14 ft. Long x 88 Inches Wide 16 ft. Long x 88 Inches Wide 84 CA 120 CA 138 CA


| Body Length                  | 12 ft                                                                                                                                                                                                                                                            | 14 ft                                                                                                                                                                                                                                                                    | 16 ft                                                                                                                                                                                                                                                                  |  |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Recommended GVW              | 19,000                                                                                                                                                                                                                                                           | 26,000 - 33,000                                                                                                                                                                                                                                                          | 26,000 - 33,000                                                                                                                                                                                                                                                        |  |
| Hoist Capacity               | 11.2 tons                                                                                                                                                                                                                                                        | 15.2 tons                                                                                                                                                                                                                                                                | 17.6 tons                                                                                                                                                                                                                                                              |  |
| Cab-to-Axle inch length (CA) | 84 CA                                                                                                                                                                                                                                                            | 120 CA                                                                                                                                                                                                                                                                   | 138 CA                                                                                                                                                                                                                                                                 |  |
| Outer Body Width             | 88 inches                                                                                                                                                                                                                                                        | 88 inches                                                                                                                                                                                                                                                                | 88 inches                                                                                                                                                                                                                                                              |  |
| Inner Body Height            | 78 inches                                                                                                                                                                                                                                                        | 84 inches                                                                                                                                                                                                                                                                | 84 inches                                                                                                                                                                                                                                                              |  |
| Body Details:                | 10 gauge High Tensile floor with beveled side corners and front                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                        |  |
|                              | 3 inch channel cross bars on 15 inch centers                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                        |  |
|                              | 5 inch channel longs                                                                                                                                                                                                                                             | 7 inch channel longs                                                                                                                                                                                                                                                     | 7 inch channel longs                                                                                                                                                                                                                                                   |  |
|                              | 12 gauge front bulkhead with 3 corrugations and tube stiffeners  12 gauge sides and 2 corrugations and vertical posts                                                                                                                                            |                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                        |  |
|                              | 30 inch rear swing-out double doors with door latch                                                                                                                                                                                                              | 36 inch rear swing double<br>doors with door latch                                                                                                                                                                                                                       | 36 inch rear swing double doors with door latch                                                                                                                                                                                                                        |  |
| Hoist:                       | Scelzi CS615T-11 Electric over hydraulic Underbody Hoist, Class 40*  • 11.2 ton capacity with 18" overhang, full steel subframe  • Double acting hoist with Power Up and Power Down PTO with direct mount pump  • LED raised warning light  • Inside Cab control | Scelzi CS 6615 Direct Mount Underbody Hoist, Class 50*  15.2 ton capacity with 18" overhang 2" hardwood cushion on truck chassis Hydraulic tank Double acting hoist with Power Up and Power Down PTO with direct mount pump  LED raised warning light Inside Cab control | Scelzi CS6620 Direct Mount Underbody Hoist, Class 50*  17.6 ton capacity with 23" overhang 2" hardwood cushion on truck chassis Hydraulic tank Double acting hoist with Power Up and Power Down PTO with direct mount pump LED raised warning light Inside Cab control |  |

<sup>\*</sup>See page 37 for more hoist information





#### Key Features and Options on Scelzi Water Trucks







Optional 1/4" Thick Belly Steel Overlay







WT-2000

#### 2,000 Gallons


#### **Standard Specifications**

#### Standard

- Features: Chelsea Air Shift PTO
  - 4" x 3" Berkeley water pump (750 GPM)
  - Spicer PTO Driveline
  - 4" x 4" Water Manifold
  - 3" Standard Air Valves
  - 3" Slip on splash spray heads for front
  - 3" x 53" Front spray bar with mounting brackets
  - 3" Slip on splash spray heads for rear
  - 3" x 53" Rear spray bar with mounting brackets
  - 3" Adjustable driver side spray with VIC clamps
  - 3" Adjustable passenger side spray with VIC clamps • One control box inside cab with (6) air switches and
  - Air control for PTO • 1-1/2" Gate valve at manifold
  - 3/4" Gate valve at manifold
  - 4" Water tank mounts with 3/4" bolts
  - One set of water tank fenders with hooks for hoses
  - OEM Tail Stop & turn rear lights
  - 2-1/2" Red marker lights seal beam
  - 2-1/2" Amber marker lights seal beam
  - 36" Rubber mud flaps
  - 24" Stinger at rear with lockable lid
  - 1/2" Sight gauge at rear

#### **Options:**

- Hot shift PTO for Allison Transmission
- Upgrade to CLA Val Air Valves
- 1/4" Thick overlay "Belly" at lower level of standard 3/16" thick tank, which significantly slows "rot-out" of bottom of tank
- 6" Diameter gravity water tank dump valve at rear bottom of tank with "Fan Nozzle".








Standard Features:

- Chelsea Air Shift or Hot Shift PTO
- 4" x 3" Berkeley water pump (750 GPM)
- Spicer PTO Driveline
- 4" x 4" Water Manifold
- One set of water tank fenders with hooks for hoses
- 4" Water tank mounts with 3/4" bolts
- OEM tail stop & turn rear lights
- 3" Standard Air Valves
- 3" Slip on splash spray heads for front
- $\bullet$  3" x 53" Front spray bar with mounting brackets
- 3" Slip on splash spray heads for rear3" x 53" Rear spray bar with mounting brackets
- 3 x 53 Rear spray bar with mounting brackets
  3" Adjustable driver side spray with VIC clamps
- 3" Adjustable passenger side spray with VIC clamps
- One control box inside cab with (6) air switches and Air control for PTO
- 1-1/2" Gate valve at manifold
- 3/4" Gate valve at manifold
- 2-1/2" Red marker lights seal beam
- 2-1/2" Amber market lights seal beam
- 36" Rubber mud flaps
- 24" Stinger at rear with lockable lid
- 1/2" Sight gauge at rear

#### **Options:**

- Hot shift PTO for Allison Transmission
- Upgrade to CLA Val Air Valves
- 1/4" Thick overlay "Belly" at lower level of standard 3/16" thick tank which significantly slows "rot-out" of bottom of tank
- 6" Diameter gravity water tank dump valve at rear bottom of tank with "Fan Nozzle".







Standard


- Features: Chelsea Air Shift PTO for manual transmission
  - 4" x 3" Berkeley water pump, (750 GPM)
  - Spicer PTO Driveline
  - 4" x 4" Water Manifold
  - 3" Standard Air Valves
  - 3" Slip on splash spray heads for front
  - 3" x 53" Front spray bar with mounting brackets
  - 3" Slip on splash spray heads for rear
  - 3" x 53" Rear spray bar with mounting brackets
  - 3" Adjustable S/S spray with VIC clamps
  - 3" Adjustable C/S spray with VIC clamps

• One control box inside cab with (6) air switches and Air control for PTO

- OEM tail stop and turn rear lights • 2-1/2" Red marker lights seal beam
- 2-1/2" Amber marker lights seal beam
- 36" Rubber mud flaps
- 24" Stinger at rear with lockable lid
- 1/2" Sight gauge at rear
- 1-1/2" Gate valve at manifold
- 3/4" Gate valve at manifold
- 4" Water tank mounts with 3/4" bolts
- One set of water tank fenders with hooks for hoses

#### **Options:**

- Hot shift PTO for Allison Transmission
- Upgrade to CLA Val Air Valves
- 1/4" Thick overlay "Belly" at lower level of standard 3/16" thick tank, which significantly slows "rot-out" of bottom of tank
- 6" Diameter gravity water tank dump valve at rear bottom of tank with "Fan Nozzle".





# SCELZI EQUIPMENT Truck Parts and Accessories

1-800-858-2883








**INCLUDING THE** ITEMS ON THE OLLOWING PAGES

#### TRUCK PARTS STORE LOCATIONS IN







3701 Enterprise Street • Shafter • CA • 93263

#### **HOME OF THE** SCELZI COMPANY STORE











**Sweatshirts** 



Tee Shirts



SCAN this code on your phone to visit our Company Store Or go to http://www.seinc.com/COMPANYSTORE.htm

And Much More ...





# Parts and Optional Equipment

# For **ALL** Bodies

|       | Tool Boxes/Drawers    | Page 50 |
|-------|-----------------------|---------|
| 00 00 | Polyurea Lining       | Page 51 |
|       | Backpacks             | Page 51 |
| O E O | Hitches               | Page 52 |
|       | Spare Tire Carrier    | Page 52 |
|       | Water Cask Holders    | Page 52 |
|       | Beacon Plate/Pedestal | Page 52 |
| 7     | Vise Stands           | Page 53 |
|       | Locking Systems       | Page 54 |
|       | Cranes                | Page 55 |
| THE   | Ladder Racks          | Page 55 |
|       | Lift Gates            | Page 55 |

# For **SERVICE** Bodies



| Roller Tops   | Page 56 |
|---------------|---------|
| Trailer Plugs | Page 56 |



#### **Tool Boxes**

Toolboxes are available in Black or White as standard

#### **Closed Top**

Scelzi Top Mount, Closed Top model

| LONG | HIGH | DEEP |
|------|------|------|
| 72"  | 18"  | 18"  |
| 96"  | 18"  | 18"  |
| 108" | 18"  | 18"  |





#### **Open Top**

Scelzi Top Mount, Open Top model

| LONG | HIGH | DEEP |
|------|------|------|
| 48"  | 18"  | 18"  |
| 72"  | 18"  | 18"  |
| 96"  | 18"  | 18"  |
| 108" | 18"  | 18"  |



#### **Underbody**

| LONG | HIGH | DEEP |
|------|------|------|
| 24"  | 18"  | 18"  |
| 30"  | 18"  | 18"  |
| 36"  | 18"  | 18"  |
| 40"  | 18"  | 18"  |
| 48"  | 18"  | 18"  |
| 60"  | 18"  | 18"  |







# **Modular Tool Drawer Systems**





# Just Press Down to Pull Out - the Best gets even BETTER

- Available in 3" through 8" High Heavy Duty Drawers
- 250# Test
- Galvanized Steel only
- Drawer Dividers sold separately



#### **Back Packs**








# **Scelzi Tool Box Roller Trays**

# **Polyurea Lining**







#### **Water Cask Holders**

Standard Water Cask Holder With Strap PART NO SE190015





Ring Style Water Cask Holder PART NO SE190014





#### **Spare Tire Carriers**

#### PART #SE143000 UNDERBODY SPARE TIRE CARRIER


-FORD F-350-550 DRW, DODGE 3500-5500 DRW -CAN BE USED ON FREIGHTLINER AND INTERNATIONAL LOW PROFILE MODELS



NOTE: MUST BE LOCATED ON DRIVER SIDE WILL NOT WORK WITH MIDSHIP OR DUAL TANK CONFIGURATIONS


#### PART #SE143001 UNDERBODY SPARE TIRE CARRIER

FOR CLASS 5-7 CONVENTIONAL CAB (IE FREIGHTLINER M2) (11R 22.5 TIRES) (MAXIMUM TIRE DIAMETER 42 1/2")




NOTE: NOT FOR USE ON VEHICLES WITH 12R22.5 TIRES TIRE SIZE MUST BE NOTED ON WORK ORDER

#### UNDERBODY SPARE TIRE CARRIER – DRIVER SIDE APPLICATION SHOWN



#### **VERTICAL SPARE TIRE HOLDER**



#### **Beacon Plates and Pedestals**

SE091020


BEACON PLATE, 9" X 9"

**SE091021**BEACON PLATE, 7" X 7"

MINI LIGHTBAR PLATE, 9" X 18"

SE091022








#### SE192034

BEACON PEDESTAL, 7" X 7" PLATE, FOR 38" TALL BODY

| BODY HEIGHT   | PART NUMBER |
|---------------|-------------|
| 33" TALL BODY | SE192033    |
| 38" TALL BODY | SE192034    |
| 43" TALL BODY | SE192035    |
| 60" TALL BODY | SE192037    |



#### SE192031

BEACON PEDESTAL, 9" X 9" PLATE, FOR 38" TALL BODY

| PART NUMBER |
|-------------|
| SE192030    |
| SE192031    |
| SE192032    |
| SE192036    |
|             |

#### **Hitches**

#### **Receiver Hitches**



CLASS 4 - 10,000# Capacity, 1000# Tongue Weight

CLASS 5 - 18,000# Capacity, 1,800# Tongue Weight




#### **Dump Hitches**

CLASS 4 - 10,000# Capacity, 1000# Tongue Weight

CLASS 5 - 18,000# Capacity, 1,800# Tongue Weight




#### **Vise Stands**




**Bolt On Stainless** Steel Panel

SSV-128



#### PIPE HOLDERS




Standard Vise Stand Non-Removeable 9" x 9" Plate

SVS-121



Pipe Holder Between Cab and Body

PH-124



Lockable Vise Stand With Removeable Plates


- •Small BC210 or
- •Large BC410 (PG & E style)

LVSR-210 LVSR-410



Front Bumper Pipe Holder WITH Bucket

BPH-126



Swivel Base Vise Stand With Removeable Plates


- •Small BC210 or
- •Large BC410

SWV-127



Front Bumper Pipe Holder Without Bucket


**BPH-125** 




Vise Stand with Removeable 9" x 9" Plate

VSR-123





Vise Not Included



Weld Vise Stand On Work Deck or Bumper Non-powder coated

VSW-122





#### **Electronic Locking Systems**

#### Scelzi Electronic Locking System®

Covered under patent #8,869,576 B2

Rotary electronic master lock system provides additional protection for service body compartments in addition to the Scelzi locking T-handles. The Scelzi Electronic Locking System® can be used with an auxiliary remote or can be tied in to the factory electronic door locking system if the chassis is equipped with the automatic door lock option. The system utilizes an electronic actuator to activate a rotating rod to positively lock a cam system to the door. This provides a remote system to enhance the body security without the addition of parts protruding to the outside of the body.

The system is available on all standard service bodies -- contact your factory representative for availability on other body styles.

For both Electronic and Manual systems, a rotating rod is activated to lock a cam system to the door.



Can be programmed into the truck's cab security key for ease of use.







Electronic actuator. When activated the patented locking system rotates the rod and cam system









# Scelzi Manual Master Lock System\*

Manual master lock system provides an independent locking system to increase vehicle security above the level offered by traditional compartment locks. The system utilizes a positive lock cam system controlled by a stainless steel handle located on the rear of each service body side pack. The handle is then secured in the locked position with a padlock. All hardware provided is stainless steel or zinc coated for enhanced corrosion protection.

The system is available on all standard service bodies, for applications relating to custom and crane bodies contact your factory representative.

\* Propietary Scelzi Design







When manually activated the locking system rotates the rod and cam system that hooks into the door





#### Ladder Racks





#### **Cranes and Lift Gates**



# **Miscellaneous Holders and Accessories**





Cone Holders



Tamper Holder



Steps and Handles

#### **Parts and Optional Equipment - Service Bodies**




#### **Roller Tops**

3 PC TELESCOPING ROLLER TOP

#3

#2

FOLD UP BACK DOOR



Roller Tops come with stainless steel track and rollers.

\* Note: Can be raised from 3" to 14" for an additional charge.

#### 2-PIECE ROLLER TOP

Available for bodies of 80", 98" or 108" long

#### 3-PIECE ROLLER TOP

Available for bodies of 98", 108", 132" or 156" long

Comes standard with fold up back door that includes overlapping tailgate for locking. Can be raised from 3" up to 14" tall and can be ordered with barn doors.





# Trailer Plugs



No. 11-410 4 Pin - Cole Hersey Chrome



**No. 12063** 7 Pin - Round Plug



No. 1235 6 Pin - Cole Hersey Plug



**No. 12707** 7 Pin - Flat RV Plug

#### 13 ft A-Frame (108 CA) 15 ft A-Frame (120 CA)





A 13 ft or 15 ft long A-Frame body with crane. Diamond plate 3/16" steel, cab high headboard, tubing for side racks, custom tail plate with two vise racks, diamond plate steel covering winch, kill switch, back up alarm, pintle hitch, multiple tool boxes.

#### **Contour Service Bodies**





Premium Quality Service Bodies with unique contoured edges and corners. Contour ladder rack, conduit boxes open on top, standard vise stand and receiver hitch. The top-of-the-line Service Body.

| Model   | Length     | CA | Compartment<br>Height | Rear Wheel |
|---------|------------|----|-----------------------|------------|
| CSB-98  | 98 inches  | 56 | 38 "                  | Single     |
| CSB-108 | 108 inches | 60 | 38"                   | Dual       |





#### Scelzi Classics Still Available For Quote



**CRUISER Body** 

11 ft long

(108 CA)







#### **CRANE BODIES (non-western)**

#### See page 35 for Western Crane Bodies



Premium Quality Crane bodies engineered for cranes with 5,000 lb lifting capacity and higher.


| Model  | Length     | CA  | Body Width |
|--------|------------|-----|------------|
| CB-132 | 132 inches | 84  | 94 or 96"  |
| CB-156 | 156 inches | 108 | 96"        |
| CB-166 | 166 inches | 120 | 96"        |

Special Underbody Construction

- 3/16" Thick Head Board
- 14 Gauge Steel Shell
- 11 Gauge Diamond Plate Steel Overlay Includes: Bed, Floor, Sides and Top of Compartments











Custom 8 ft x 10.6 ft flatbed



**Custom flatbed with Scorpion Atenuator** 



Custom 8 ft x 15 ft Cone Body



**Custom SBD-108** 



# **SCELZI Enterprises Incorporated**

Premium Truck Body Manufacturing

Building An American Legacy One Truck Body At A Time













www.seinc.com





#### **Pool Locations**

#### Fresno

Scelzi Enterprises, Inc. Corporate Headquarters 2286 East Date Avenue Fresno, CA. 93706 Office: (559) 237-5541 Toll Free: (800) 858-2883 Fax: (559) 237-5554

#### Denver

Scelzi Enterprises, Inc. 203 5th Avenue La Salle, CO 80645 Office: (559) 237-5541 Toll Free: (800) 858-2883 Fax: (559) 496-3202

#### Riverside

Scelzi Enterprises, Inc. 2693 Rubidoux Blvd. Riverside, CA 92509 Office: (559) 237-5541 Toll Free: (800) 858-2883 Fax: (559) 496-3202

# Shafter

Scelzi Enterprises, Inc. 3701 Enterprise Street Shafter, CA. 93263 Office: (559) 237-5541 Toll Free: (800) 858-2883 Fax: (559) 496-3202

# Washington

Scelzi Enterprises, Inc. 2219 112th Street East Tacoma, WA 98445 Office: (559) 237-5541 Toll Free: (800) 858-2883 Fax: (559) 496-3202